



Approach Detail Tie Rebars #4 X 18 inches @ 36 inches on Center Las barras de unión # 4 X 18 pulgadas @ 36 pulgadas en el centro Minimum of 6" Concrete -Mínimo de 6 "de hormigón 10 Feet Same Depth as Existing Street Misma profundidad que la calle existente 1/2 inch Expansion Joint -Conjunto de expansión de 1/2 pulgadas



- 1. CONCRETE MIX DESIGN FOR STREET AND SIDEWALK REPAIR SHALL BE NDOR, TYPE 47B WITH A MAXIMUM SLUMP OF 3 INCHES.
- 2. REPAIR AREAS SHALL BE INSPECTED BY THE CITY OF LEXINGTON BUILDING INSPECTOR PRIOR TO PLACEMENT OF CONCRETE.
- 3. CURE TIME SHALL BE MINIMUM 7 DAYS BEFORE OPENING THE REPAIR AREA TO VEHICLE TRAFFIC.

DRIVEWAY RETURN DETAILS

NO SCALE



DRIVEWAY RETURN DETAIL WITH TERRACE SIDEWALK NO SCALE