

Nebraska H2O

**Stormwater Management Plan
(SWMP)**

NPDES Stormwater Discharge Authorization Number NER300003

Issued July 1, 2017

Final Version: 07/31/2017

MCM 1 & 2 - PUBLIC EDUCATION, OUTREACH AND INVOLVEMENT

PUBLIC EDUCATION, OUTREACH AND INVOLVEMENT - DECISION PROCESS AND RATIONALE

This MS4 **Public Education and Outreach (PEO) Strategy** is a targeted approach to delivering education, training and public involvement and is tailored to target audiences and groups of individuals that may influence stormwater quality associated with municipal stormwater runoff. The City can have a significant influence on the education and training provided to youth, residents, and businesses by delivering public education and outreach activities. By focusing on the target audiences described in this PEO Strategy, the City can best develop awareness of stormwater BMPs, increase knowledge about recommended and required BMPs, and develop skills for correctly implementing BMPs.

PEO Strategy Goal 1: Educate and train the public, specifically municipal staff, to follow recommended and required BMPs; the steps the target audience can take to reduce stormwater pollution.

PEO Strategy Goal 2: Use a combination of appropriate strategies to reach target audiences that can implement stormwater BMPs.

1. **PEO Strategy Goal 3:** Inform the public about how to participate in environmental stewardship opportunities, review the SWMP and report about illicit discharges and other municipal stormwater pollution concerns.

PEO Strategy BMPs: The PEO Strategy Goals are supported by the PEO Strategy BMPs described throughout the SWMP. The following PEO Strategy BMPs provide details about how the City of Lexington accomplishes PEO Strategy Goals.

BMP 1.1 Develop, maintain and distribute stormwater education materials that are tailored, current and relevant to the SWMP.

BMP 1.2 Facilitate citizen participation opportunities for implementation of stormwater controls that protect receiving waters.

BMP 1.3 Maintain public review, comment and input resources that support the SWMP.

BMP 3.4 Deliver education about the impact of illicit discharges, common types of illicit discharges, and response procedures when illicit discharges are identified.

BMP 4.4 Deliver education about the impact of construction-related stormwater pollution, construction site erosion, sediment and good housekeeping BMPs, inspection and enforcement requirements.

BMP 6.4 Deliver education about impact of municipal maintenance activities and maintenance facility operation on stormwater, operation BMPs, inspection and compliance requirements.

PEO Strategy Defining Activities: The PEO Strategy BMPs are all defined by a set of materials and efforts that the City maintains. SWMP tables define each BMP with descriptions, target audiences, messages, methods/resources, and dates materials were last provided and when they are next due. The defining activity tables follow the same general format shown below.

Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
-------------	-----------------	----------	-------------------	---------------	----------

PEO Strategy Implementation Activities: The PEO Strategy BMPS are measured by as set of goals that the City implements. SWMP tables list the goals for the activity, a measure for evaluation and assessment, and the reporting for annual performance that is compared against the evaluation and assessment targets. The implementation tables follow the same general format shown below.

GOALS:	EVALUATION AND ASSESSMENT:	ANNUAL PERFORMANCE:
--------	----------------------------	---------------------

The City of Lexington has identified the following target audiences for the education and outreach program that are likely to have stormwater quality impacts: homeowners, pet owners, commercial & industrial businesses, construction site operators, and engineers/architects/developers/realtors. These target audiences were chosen due to the impact of their activities and their availability to be reached. These target audiences have been designated to address different types of non-point source pollution through the Public Education and Outreach program. Household hazardous wastes, pet waste, oil and other fluids from automobiles, and grass clippings are examples of high priority, community-wide pollutant issues.

The City of Lexington education and outreach program will use an array of formats to reach the public. Previously, the City has collaborated with other Nebraska H₂O communities to use television PSA's, radio PSAs, stormwater pamphlets, social media, press releases, and newspaper articles. This reaches all age groups and genders using these various media platforms.

The City of Lexington Development Services Department has a website and an email address on the City's webpage. Also, the NebraskaH₂O.org website includes a reference link to that same page. When events are scheduled, a press release will be sent out to the public.

The City of Lexington will actively involve the public in the development and implementation of the Stormwater Management Program by providing public notices when updating ordinances pertaining to the City of Lexington Stormwater Management Program. City Council Meetings and work sessions will allow the public to ask questions and give comments prior to the approval of any City Ordinance changes.

The City of Lexington will actively approach any group regardless of ethnicity or economic status as it pertains to stormwater pollution. Pollutant source identification is the key component of the City's Stormwater Management Program. Any group, whether industrial, trade, environmental, or educational, is approachable.

The types of public involvement and participation activities the City of Lexington uses include Cleanup Days, a household hazardous waste disposal day, and storm drain inlet marking done by volunteer groups.

The City of Lexington Development Services Director is responsible for overall management and implementation of the City's education and outreach program. The Development Services Director can be found at the City Hall and reached at 308-324-2341.

The City of Lexington will evaluate the success of the education and outreach program by implementing effectiveness measures for each BMP that will be met and acknowledged for each reporting period, as outlined in this Plan and Annual Report.

MCM1 & 2: BMP 1: DEVELOP, MAINTAIN AND DISTRIBUTE CURRENT EDUCATION MATERIALS

1.1.1. Coordinate the Public Education and Outreach Strategy with updates and maintenance of general stormwater education or outreach materials for distribution to residential, construction, industrial and commercial sources identified as high priority, community-wide issues related to the impact of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff.

The PEO Strategy identifies the following:

- Goals, objectives, target messages, and audiences for information.
- Resources used and frequency for distributing information.

Reference:				Frequency:	
The City of Lexington PEO Strategy				Annually	
Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
Online Websites	General Public	Basic Stormwater Protection Awareness – Stormwater Program Management and BMP topics	City of Lexington Website Nebraska H ₂ O Website	2019	2020
Social Media	General Public	Basic Stormwater Protection Awareness – Stormwater Program Management and BMP topics	City of Lexington Facebook		2020
Internet Advertisements	General Public	Basic Stormwater Protection Awareness – Stormwater Program Management and BMP topics	Lexington Daily/Weekly Newspaper	2016	2020
Radio Public Service Announcements and Interviews	General Public	Basic Stormwater Protection Awareness – Prevent pollution by keeping water draining to inlets, streams and lakes clean	Local AM Radio Station	2014	2020
Storm Drain Awareness	General Public	Basic Stormwater Protection Awareness – Prevent pollution by keeping water draining to inlets, streams and lakes clean	Storm Drain Design Standard Storm Drain Adhesive Markers	2016	2020
Branded Materials	General Public	Basic Stormwater Protection Awareness – Prevent pollution by keeping water draining to inlets, streams and lakes clean		2016	2020

Observations, recommendations, and/or changes made to program defining documents during permit year: Our quarterly "City Happenings" newsletter contains advertising addressing how the general public can create stormwater pollution. The newsletter is viewed by 421 recipients.

Our local movie theater shows stormwater messaging before each film that is shown. In 2019, 15,802 tickets were sold to movie attendees.

Report:

The City will be cooperating with Lexington Public Schools to have different "Activity Groups" to mark storm sewer inlets. Inlets that need marking have been identified; the LHS Football team will be marking the drains this summer.

In 2019, these activities will continue. An increase in advertising through the above mentioned outlets will take place.

1.1.2 Distribute general stormwater education or outreach materials related to the impact of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff.

Reference:	Public Education and Outreach Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	Ongoing Annually
Goals:	Evaluation and Assessment:		Performance:
ADMINISTRATIVE: Use stormwater program management websites	Current		Yes
EFFECTIVENESS: Use of Social Media for stormwater program management and BMP information	24 per year		No
EFFECTIVENESS: Use of storm drain markings for stormwater awareness	50 storm drains marked or replaced per year		Yes
EFFECTIVENESS: Use of Internet Advertisements for stormwater awareness	2 per year		Yes
EFFECTIVENESS: Use of Radio Advertisements for stormwater awareness	1 ad campaign every other year		Yes
EFFECTIVENESS: Use of Stormwater program-branded materials for stormwater awareness to visitors at various tours, events, trainings, and activities			Yes
Satisfied:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Explanation: The City's social media team has been trained to begin promoting stormwater awareness through our platforms. We continue to use our "City Happenings" to promote awareness (421 recipients, quarterly). We find radio and newspaper advertising to be ineffective. The City's webpage has been updated to include more information about stormwater awareness. Storm drain marking were completed by Lexington Public Schools Activity Groups.		

MCM 1 & 2: BMP 2: CITIZEN PARTICIPATION IN IMPLEMENTATION OF STORMWATER CONTROLS

1.2.1 Coordinate the Public Education and Outreach Strategy with updates and maintenance of opportunities for citizens to participate in the implementation of stormwater controls, raising awareness for the impact of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff. The Strategy includes for these opportunities and events:

- Goals, objectives, target messages and audiences
- Resources used and frequency

Reference:				Frequency:	
The City of Lexington PEO Strategy				Annually	
Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
Clean-up Day	General Public	Provide community awareness of impacts of pollution to local waterbodies	Coordination with Organization, advertise through print and social media	2019	2020
Household Hazardous Waste Disposal Day	General Public	Prevent pollution by disposing household hazardous waste properly	Advertise through print and social media	2019	2020
Storm Drain Marking Installations	General Public	Provide community awareness to impacts of pollution to local waterbodies	Coordination with local youth groups, advertise through print and social media	2019	2020
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year: We will continue to distribute information at our Recreation Department events; softball tournament, fun runs and at the Lexington Aquatic Center. We will continue with our Park Cleanups days; days where service organizations go into the local parks and do cleanups. We are looking for different outlets to increase participation. Household Hazardous Cleanup Days are organized as funds area available. Storm drain marking were completed by Lexington Public Schools Activity Groups.				

1.2.2 Provide general stormwater education or outreach tours and events that raise awareness for the impact of stormwater discharges on water bodies and the steps that the public can take to reduce pollutants in stormwater runoff.

Reference:	Public Education and Outreach Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	Ongoing Annually
Goals:	Evaluation and Assessment:		Performance:
ADMINISTRATION: Record Stormwater Education & Outreach event	Recorded		{{Yes/No}}
EFFECTIVENESS: General Public attendance at Keep Lexington Clean Education & Outreach event	Recorded		Yes
EFFECTIVENESS: Volunteer Youth participants for Storm Drain Marking installations	1 youth group per year		Yes
EFFECTIVENESS: Citywide household Hazardous Waste Disposal event	1 Event		Yes
Satisfied:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explanation: We will continue to distribute information at our Recreation Department events; softball tournament, fun runs and at the Lexington Aquatic Center. We will continue with our Park Cleanups days; days where service organizations go into the local parks and do cleanups. We are looking for different outlets to increase participation. One Household Hazardous Waste event was held through the Lexington Area Solid Waste Agency.		

MCM 1 & 2: BMP 3: PUBLIC INVOLVEMENT AND PARTICIPATION MATERIALS

1.3.1 Coordinate the Public Education and Outreach Strategy with materials that demonstrate compliance with State and local public notice requirements and involve the public in planning and implementation of programs and activities related to the City of Lexington Stormwater Management Program and NPDES Permit. The PEO Strategy identifies the following:

- Target messages and audiences for public involvement and participation
- Resources used and frequency for providing public involvement and participation

Reference:				Frequency:	
The City of Lexington PEO Strategy Lexington City Code Chapter 12				Annually	
Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
MS4 Permit	General Public	Regulations and Ordinances are available for the public to use and follow for compliance	Available on demand	2017	2020
Stormwater Management Plan	General Public	Regulations and Ordinances are available for the public to use and follow for compliance	Available on demand	2017	2020
Stormwater Program Ordinances for: <ul style="list-style-type: none"> • Illicit Discharge Detection and Elimination • Erosion and Sediment Control • Post-Construction Stormwater Treatment 	General Public	Regulations and Ordinances are available for the public to use and follow for compliance	Available on demand	2017	2020
Formal Comments for Ordinance Adoption and Revision	General Public	Public input helps form public policy and ordinances for protecting water quality	City Council, Public Notices	2017	2020
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year: Any document we have developed is always available on demand. We are still currently developing some of the required documents.				

1.3.2 Provide public involvement and participation opportunities that demonstrate compliance with State and local public notice requirements and involves the public in planning and implementation of programs and activities of the SWMP.

Reference:	Public Education and Outreach Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	Ongoing Annually
Goals:	Evaluation and Assessment:	Performance:	
ADMINISTRATION: Provide program reference documents online and make available to the general public for the following: <ul style="list-style-type: none"> • Municipal Separate Storm Sewer (MS4) Permit • Storm Water Management Plan • Illicit Discharge and Connection Ordinance • Erosion and Sediment Control Ordinance • Post-Construction Stormwater Treatment Ordinance 	Provided		
ADMINISTRATION: Provide a public forum to receive input about proposed stormwater compliance plans and ordinances.	Record public attendance and comment numbers.		
ADMINISTRATION: Make web form and telephone resources available to the public for submitting requests, such as Mayors Phone Hotline, City web report form and Nebraska H ₂ O web report form received from public requests related to stormwater information, potential pollution situations and stormwater program recommendations.	Report all resources utilized		
EFFECTIVENESS: All proposed changes to regulations and ordinances are posted for review at least one week prior to decision.	100%		
EFFECTIVENESS: Coordinate a stormwater committee (or similar group) with community members that receive information about the City of Lexington Stormwater Program, to review and comment on proposed program, policy and ordinance changes as well as make recommendations for program activities included in the SWMP.	Number of participants and meetings.		
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation: We will need to push most of these performance items out. We are still trying to complete these documents. These documents have already been approved or are being developed.		

MCM #3 ILLICIT DISCHARGE DETECTION AND ELIMINATION

ILLICIT DISCHARGE DETECTION AND ELIMINATION DECISION PROCESS AND RATIONALE

The purpose of this MCM is to minimize the effect of illicit discharges within the municipality. An IDDE program is followed and an ordinance has been enacted within the City Code. Dry weather inspections of storm sewer outfalls are performed within the community. Also, a detailed storm sewer map is maintained to track flow of stormwater and identify affected areas from illicit discharges. Finally, the City of Lexington's website allows the public to acknowledge their concerns regarding all forms of stormwater pollution.

The City of Lexington developed a stormwater system map by consolidating all information gathered by City of Lexington staff and other entities. This included all outfall points, inlets, storm sewer pipes, and manhole boxes. Maintenance and upkeep of this stormwater system map is done annually as as-builts and changes to the system occur.

The City of Lexington effectively prohibits illicit discharges with an active IDDE program that is identified in our Municipal Code, complete with an Enforcement Response Plan. The city holds violators accountable by implementing appropriate levels of enforcement, based on the nature and circumstances of the illicit discharge. City Municipal Code Chapter 12 defines and prohibits stormwater discharges.

The City of Lexington plans to ensure the illicit discharge ordinance, procedures, and actions are implemented through proper and consistent education of City employees to recognize illicit discharges, and train employees of the proper contacts to make in response to a discharge or spill incident. The City of Lexington has a protocol with an Enforcement Response Plan that identifies the procedure to follow based on the severity of non-compliance.

The IDDE Program defines protocol for reporting the requirement to investigate trace and remove potential illicit discharges, including illegal dumping or spills. Using appropriate City contact information (via phone or website), a citizen can identify to a responsible party what they saw. The citizen can remain anonymous or be known. The discharge is addressed and tracked until the issue is clean and a party is found responsible.

The City of Lexington informs public employees, businesses, and the general public about the hazards to water quality from illegal discharges and improper disposal of waste through training videos, posters, bulletins, website and press releases. As the IDDE Program continues to develop, additional materials or educational effort would include flyers, additional website content, social media, and providing more presentation materials for training purposes.

The City of Lexington Stormwater Manager is responsible for the overall management and implementation of the IDDE Program and its activities.

The City of Lexington evaluates the success of the IDDE Program through effectiveness measures to be met on a regular basis. The measures are acknowledged at each annual report to show the measure of success for the IDDE Program.

MCM3: BMP 1: DISCHARGE INVESTIGATION AND REMOVAL

3.1.1 Coordinate updates and maintenance of discharge record-keeping, investigation, removal and enforcement information in the MS4 Illicit Discharge Detection and Elimination (IDDE) Program, which references and defines the following:

- State and/or local regulatory mechanism(s) that effectively define allowable non-stormwater discharges and prohibit non-stormwater discharges into the storm sewer system related to illicit discharges (including on-site sewage disposal systems, spills, discharges, connections and dumping).
- Internal spill/dump/discharge/connection procedures, departmental staff responsibilities, contact information (including NDEQ for occurrence believed to be an immediate threat to human health or the environment), and equipment used to investigate illicit discharges.
- Enforcement response protocol used to remove illicit discharges that occur within the MS4.
- Data collected, database used, and data export procedures for records of investigation, removal and enforcement efforts, enforcement status and outcomes for illicit discharges.
- Protocol for reporting the requirement to investigate and remove potential illicit discharges that flow into the MS4 from adjacent MS4 operators and property owners.

Reference		Frequency
City of Lexington Code IDDE Program, Chapter 12		Review Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year	

3.1.2 Investigate, remove or cause responsible party to remove spills, illegal discharges and illicit connections within and into the MS4.

Reference:	IDDE Program Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report: The Tracking form has been developed for City Staff. Any IDDE complaints from outside the organization are fielded by phone call or email and routed to the Development Services Director. Training will be ongoing for IDDE for City Staff; these are the people who see any issues we may have. Videos and documentation have been purchased; videos will be shown to required personnel; police, street and park department staff.		Measure

Continued on Next Page

ADMINISTRATION: Record dates of all notifications of potential illicit discharges, stakeholders involved, investigation and communication efforts, status, and final resolution taken for potential illicit discharges.	GOAL: Record discharge information required.	Yes
EFFECTIVENESS: Initiate investigation of potential illicit discharges and/or contact adjacent MS4 operator within two days of notification.	GOAL: 100%	100%-3
EFFECTIVENESS: Once a source is determined, initiate notification of responsible party of potential illicit discharges within one working day of notification.	GOAL: 100%	100%-2
EFFECTIVENESS: Open records are updated once a week with status and any new information until the issue is resolved.	GOAL: 100%	Yes
EFFECTIVENESS: Summarize all instances that were closed without resolution including who made determination to close the record and why the instance could not be resolved.	GOAL: Record instances closed without resolution	0
Satisfied:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explanation:	

MCM 3: BMP 2: DRY WEATHER SCREENING

3.2.1 Coordinate updates and maintenance of Dry Weather Screening Inspection and data collection information in the MS4 Illicit Discharge Detection and Elimination (IDDE) Program, which defines the following:

- Basis for selecting outfall locations used to screen for the presence of illicit discharges to the MS4 considering likelihood of illicit connections or ambient sampling.
- Frequency used to screen major and minor outfalls for the presence of illicit discharges to the MS4.
- Current policies, staff, contact information, equipment, and known impairments or TMDL pollutants of concern used to conduct dry weather screening for the presence of illicit discharges to the MS4.
- Field tests of selected chemical parameters, evaluation methods and sample concentration action levels for pollutants during dry weather screening that trigger determination to investigate flow as a potential illicit discharge to the MS4.
- Data properties collected, geo-database used, illicit discharge identification and tracking database used, and data export procedures for reporting dry weather screening conducted to determine the presence of illicit discharges to the MS4.

Reference		Frequency
IDDE Program Chapter 12		Review Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year	

3.2.2 Conduct Dry Weather Screening Inspections and record all results in the stormwater outfall geodatabase.

Reference:	Dry Weather Screening Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually – Summer or Fall
Goals:	Report:	Measure	
ADMINISTRATION: Conduct and record outfall inspections in the outfall geodatabase within the calendar year.	GOAL: Input all records.	{{Number}}	
EFFECTIVENESS: Screen each major outfall annually	GOAL: 100%	100%	
EFFECTIVENESS: Investigate each minor outfall every three years	GOAL: 33%	100%	
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation: We have very few outfalls. They are inspected as needed; a system of tracking inspections will need to be implemented. Training on documentation has been implemented, tracking will commence in 2020.		

MCM 3: BMP 3: STORM SEWER SYSTEM MAPPING

3.3.1 Coordinate updates and maintenance of MS4 area maps and stormwater outfall location information in the MS4 Illicit Discharge Detection and Elimination (IDDE) Program, which defines and references the following:

- Internal procedures, frequencies, municipal staff responsibilities, contact information, and equipment used to capture and verify existing and future stormwater outfall location information.
- How outfall locations are described, minimum size of outfall required to be mapped, smaller size outfalls that may be mapped, and justifications for mapping smaller outfalls.
- Sources of information used for the maps listing land use types, waters of the state, outfall locations, storm drain infrastructure, collection system and structural stormwater treatment BMPs.
- Latest version of the outfall map with receiving waters.

Reference		Frequency
IDDE Program Chapter 12 City of Lexington GIS		Review Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year	

3.3.2 Maintain map, to the extent required by the permit, of current geographic locations of all stormwater outfalls, the approximate boundary of their drainage area that discharge to State-designated receiving waters in the MS4, dry weather field screening locations, storm drain infrastructure and collection system as well as structural stormwater treatment locations.

Reference:	City of Lexington GIS As-built records, City of Lexington GIS		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:	Measure	
ADMINISTRATION: Maintain all outfall attribute updates in geo-database of stormwater outfall information currently available for major and minor outfalls.	GOAL: Maintained.	Yes	
ADMINISTRATION: Update estimated drainage boundary attributes with existing and future land use at a minimum of five years for all outfalls that discharge to State-designated receiving waters in the MS4.	GOAL: Maintained.	Yes	

Continued on Next Page

EFFECTIVENESS: All outfall, storm drain infrastructure, collection system and storm water treatment geo-reference attributes are updated in the geo-database within one year of new construction or 30 days following routine outfall dry weather screening.	GOAL: 100%	100%
..... Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation:	

MCM 3: BMP 4: ILLEGAL DISCHARGE AND IMPROPER WASTE DISPOSAL EDUCATION

3.4.1 Coordinate updates and maintenance of educational and training information for distribution related to the hazards associated with illegal discharges and improper disposal of waste in the Public Education and Outreach Strategy, which establishes the following:

- Training program with at least one target message related to identification and reporting of illicit discharges and connections for a sector of Public Employees involved in Operation and Maintenance activities every reporting year.
- At least one target message and distribution method for a sector of Public Employees not involved in Operation and Maintenance every reporting year.
- At least one target message and distribution method for a sector of Commercial/Industrial Businesses within the MS4 every reporting year.
- At least one target message and distribution method for at least one sector of the General Public within the MS4 every reporting year.

Reference:				Frequency:	
The City of Lexington PEO Strategy				Annual	
Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
Water Quality Brochure: Illicit Discharge Resource & References	Municipal Staff involved with O&M	Identify, report, investigate and remove Illicit Discharges and Connections	Available at O&M Facility	2019	2020
Water Quality Brochure: Household Hazardous Waste	General Public	Prevent pollution by disposing household hazardous waste properly	Downloadable from website. Available at City Hall business counter.	2019	2020
Water Quality Brochure: Pet Waste	General Public	Prevent pollution from pet waste by collecting and disposing it properly	Downloadable from website. Available at City Hall business counter.	2019	2020
Water Quality Brochure: Lawn and Garden Care	General Public	Prevent pollution by controlling lawn and garden waste and chemicals from leaving your property	Downloadable from website. Available at City Hall business counter.	2019	2020
Water Quality Brochure: Automotive Repair	Business Sector: Automotive Repair	Prevent pollution from automotive maintenance activities	Downloadable from website. Distributed to businesses conducting automotive maintenance. Available at City Hall business counter.	2019	2020

Continued on next page

Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
Water Quality Brochure: Outdoor Landscaping	Business Sector: Outdoor Landscaping	Prevent pollution from landscape maintenance activities	Downloadable from website. Available at City Hall business counter.	2019	2021
Water Quality Brochure: Restaurants	Business Sector: Restaurants	Prevent pollution from waste materials, oils and grease from restaurants	Downloadable from website. Distributed to restaurants. Available at City Hall business counter.	2019	2021
IDDE training	City staff involved with O&M of the highway environment	Identify, report, and remove illicit discharges and connections	Water Quality Brochure: Illicit Discharge resources & references.	2019	2020
Report:	We will continue to develop and issue education materials via our website, mailings, personal contact and advertising.				

3.4.2 Distribute information related to the hazards associated with illegal discharges and improper disposal of waste to Public Employees, Businesses and the General Public.

Reference:	Education and Outreach Strategy Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	Ongoing Annually
Goals:		Evaluation and Assessment:	Performance:
ADMINISTRATION: Water Quality brochure for household hazardous waste distributed matches current PEO Strategy.		Material is current	Yes
ADMINISTRATION: Water Quality brochure for pet waste distributed matches current PEO Strategy.		Material is current	Yes
ADMINISTRATION: City Employees, who as part of their normal job responsibilities, may come into contact with or observe an illicit discharge or illicit connection to the MS4 completed training.		Number trained	All O & M staff and Police.
EFFECTIVENESS: At least seventy-five percent (75%) of the estimated target audience sector of Business Owners had information made available to them in the reporting year.		75%	75+%
EFFECTIVENESS: At least fifty percent (50%) of the estimated target audience sector of General Public had information made available to them in the reporting year.		50%	50+%
EFFECTIVENESS: All new City employees at maintenance facilities responsible for maintaining MS4 areas, who as part of their normal job responsibilities, may come into contact with or observe an illicit discharge to the MS4, receive training within one year of hire.		100%	100%
EFFECTIVENESS: All City employees at maintenance facilities responsible for maintaining MS4 areas, who as part of their normal job responsibilities, may come into contact with or observe an illicit discharge to the MS4, receive training every three years.		100%	100%
SATISFIED:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explanation: We have a small staff who get training in the form of videos annually.		

MCM #4 CONSTRUCTION STORMWATER MANAGEMENT

CONSTRUCTION STORMWATER MANAGEMENT DECISION PROCESS AND RATIONALE

The purpose of this MCM is to reduce pollutants in stormwater runoff from construction activities that result in land disturbance. In accordance with NDEQ Administrative Code 119.10.002.12D, Nebraska Small MS4 General Permit NER310000 IV.B.3, and City of Lexington Municipal Code, the Construction Stormwater Program includes and adheres to the following elements:

1. Construction Stormwater Ordinance
2. Operator Requirements to Implement Sediment & Erosion Control, Waste, and Stormwater Controls
3. Construction Sediment & Erosion Control and Site Plans
4. Construction Site Inspection and Enforcement Procedures
5. Construction Stormwater Education

Construction Stormwater Design standards meeting the NDEQ and NPDES Permit requirements are available on the City website. Construction site operators for sites disturbing one acre or more, or less than one acre if part of a larger common plan of development or sale are required to enact Erosion and Sediment Controls.

The City of Lexington requires erosion and sediment control measures on construction sites via City Code. The ordinance language ensures every construction project within the City Limits requires proper Erosion and Sediment Controls, as well as inspection and evaluation methods.

The City of Lexington has an Enforcement Response Plan (ERP) for the Erosion & Sediment Control Program which defines the level of enforcement based on the level of non-compliance. The ERP was created to address all levels of non-compliance. The City will follow through on issues of non-compliance until resolved. Communication with the violator, can vary from a phone call to a formal notice of violation to enforcement of Civil Penalties.

The City of Lexington has a defined list of pollutants, including solid waste and hazardous materials, which construction site operators are required to manage onsite with Best Management Practices in City Ordinance. Waste materials include construction activity trash from building materials, equipment and vehicle track out, and potential sanitary waste.

The City of Lexington requires an Erosion and Sediment Control plan meeting the NDEQ and NPDES Permit requirements for review by City staff. For sites greater than an acre, and those less than an acre but part of a larger common plan of development or sale, a Stormwater Pollution Prevention Plan is required to be followed.

The City of Lexington Stormwater Manager are ultimately responsible for the management and overall implementation of the Construction Stormwater Program. Parts of this program operate outside the regular authority of the Stormwater Manager, specifically the elements of reviewing plans brought in front of the Development Review Team.

The City of Lexington has multiple effectiveness measures implemented to ensure the BMP's are being utilized correctly. Each annual report sent in to the NDEQ will address these effectiveness measures and how to interpret them.

These Plans are being developed with help from Felsburg, Holt and Ullevig, in conjunction with other Nebraska MS4s.

MCM 4: BMP 1: MAINTENANCE, IMPLEMENTATION, AND ENFORCEMENT OF EROSION AND SEDIMENT CONTROL AUTHORITY

4.1.1 Coordinate maintenance of enforceable authority and escalation procedures in the MS4 Construction Stormwater (CSW) Program Guidance Document, which references local regulatory mechanisms that:

- Defines and enables municipal enforcement.
- Defines and requires construction erosion and sediment control implementation.
- References local regulatory mechanism(s) that effectively defines waste control implementation.
- References local regulatory mechanism(s) that effectively defines and establishes a range of penalty options and when they will be used to ensure compliance.

Reference	Frequency
City Municipal Code Chapter 12, CSW Program	Update: Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year

4.1.2 Conduct procedures to investigate, remove and enforce each instance of construction stormwater non-compliance for observed non-compliance of the municipal code/ordinance.

Reference:	Construction Stormwater Enforcement Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:	Measure	
ADMINISTRATION: Record dates of all notifications of potential construction stormwater program non-compliance. Record stakeholders involved, investigation efforts, communication efforts, interim steps of enforcement if taken to resolve, and final resolution taken for potential construction stormwater program non-compliance.	GOAL: 100%	100%	

Continued on Next Page

EFFECTIVENESS: Initiate investigation of potential construction stormwater program non-compliance within two working days of notification or identification.	GOAL: 100%	100%
EFFECTIVENESS: Open records are updated once a week with status and any new information until the issue is resolved.	GOAL: Total number of instances.	100%
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation: We have one department who handles all of the construction projects. Lexington is a smaller community with less development than most. We team with developers to help them with construction activities.	

MCM 4: BMP 2: CONSTRUCTION SITE PLAN REVIEW

4.2.1 The City will coordinate maintenance of site plan review procedures in the MS4 Construction Stormwater (CSW) Program, which references local regulatory mechanisms that define the following:

- Authority to conduct construction site plan reviews for all land development and building projects that will disturb at least one acre of soil surface alone or as part of a larger common plan of development or sale.
- Minimum requirements for site plan submittals to address construction erosion, sediment and waste control best management practices.
- Minimum standards by reference for design of construction erosion, sediment and waste control best management practices.
- Basis for selecting certain sites for site plan review.
- Current policies, staff, contact information and required procedures for construction site plan review.

Reference	Frequency
City Municipal Code Chapter 12, CSW Program	Update: Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year: We have one department who handles all of the construction projects. Lexington is a smaller community with less development than most. We team with developers to help them with construction activities.

4.2.2 The City will conduct and record site plan reviews for all land development and building projects that will disturb at least one acre of soil surface alone or as part of a larger common plan of development or sale.

Reference:	Construction Stormwater Plan Review Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:	Measure	
ADMINISTRATION: Complete construction stormwater site plan review form for every land development and building project that will disturb at least one acre of soil surface alone or as part of a larger common plan of development or sale.	GOAL: 100%	100%	
EFFECTIVENESS: Record when construction stormwater site plan submittal requirements were not satisfied and required revision and resubmittal.	GOAL: 100%	0	
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation: We require plans to be created by a professional engineer or a person with experience. We don't receive plans that are not professionally drawn. Development permits are not issued until the plan is reviewed.		

MCM 4: BMP 3: CONSTRUCTION SITE INSPECTIONS

4.3.1 The City will coordinate review and maintenance of site inspection procedures in the MS4 Construction Stormwater (CSW) Program, which references local regulatory mechanisms that define the following:

- Local regulatory mechanism(s) that effectively defines and enables authority to conduct site inspections
- Minimum standards by reference for installation and maintenance of construction erosion, sediment control best management practices.
- Minimum standards by reference for installation and maintenance of waste control best management practices.
- Current policies, staff, contact information, frequency and required procedures for routine municipal inspections of public and private construction projects.
- Minimum required frequency and information for construction operator self-inspections.

Reference		Frequency
City Municipal Code Chapter 12, CSW Program		Update: Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year	

4.3.2 Conduct site inspections for construction projects to document construction stormwater installation and maintenance compliance.

Reference:	Construction Stormwater Plan Review Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report: Our inspectors do routine inspections on all construction inspections. When issues are uncovered the site supervisor and developer are contacted immediately. Those issues will be corrected either by the responsible party or City Staff.		Measure

ADMINISTRATION: Record the total number of active construction site inspections conducted during reporting period.	GOAL: Total Number conducted	Attached
EFFECTIVENESS: Every private building lot and land development received municipal oversight inspection for erosion and sediment control an average of quarterly (routine) during the period of active construction.	GOAL: 100%	100%
EFFECTIVENESS: Every public project with an NPDES permit completes routine stormwater inspections on a frequency required in the permit authorization (routine).	GOAL: 100%	100%
EFFECTIVENESS: All active construction projects that have non-compliance with local construction stormwater requirements receive a follow-up inspection within one week.	GOAL: 100%	100%
EFFECTIVENESS: All information provided from the public about stormwater management of an active construction site leads to an inspection or a documented reason why an inspection was not conducted.	GOAL: 100%	100%
EFFECTIVENESS: Record soil stabilization conditions and if unresolved non-compliance exist for the project at time of all close-out inspections required before municipal approval is given.	GOAL: 100%	100%
Satisfied: <input type="checkbox"/>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explanation:	

MCM 4: BMP 4: CONSTRUCTION STORMWATER EDUCATION

4.4.1 Coordinate updates and maintenance of educational and training information for distribution related to impacts of construction stormwater pollution in the Public Education and Outreach Strategy, which references the following:

- Establishment of a training program and distribution method with at least one target message related to Construction Stormwater Program Requirements (i.e., erosion and sediment controls, soil stabilization, dewatering, pollution prevention, prohibited discharges, surface outlets, plan submittal, site inspection, and enforcement) every reporting year.
- Defines training that municipal staff primarily responsible for permitting, plan review, construction site inspections, and enforcement receive.
- Defines the resources used and frequency for distributing information related to construction stormwater pollution.

Reference:				Frequency:	
The City of Lexington PEO Strategy				Annually	
Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
Required Standards	Municipal Staff and Public	Prevent construction-related stormwater pollution by following City policy and standards.	City of Lexington– Construction Stormwater Program and Approved Stormwater Design Manual links available on website, available by request.	2019	2020
Construction Stormwater BMP Pocket Guide	Municipal Staff and Public	Prevent construction-related stormwater pollution by selecting and installing appropriate BMPs.	Available at City Hall.	2019	2020
Construction Stormwater Program Presentation	Municipal Staff and Public	Prevent pollution from pet waste by selecting and installing appropriate BMPs.	Live Presentation	2019	2020
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year: We are still working on a design manual.				

4.4.2 Distribute education and training information related to construction stormwater pollution.

Reference:	Education and Outreach Strategy Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	Ongoing Annually
Goals:	Evaluation and Assessment:	Performance:	
ADMINISTRATION: Construction site operators can obtain information about BMPs and requirements for minimizing pollutants discharged from construction sites each year.	Total number of pocket guides distributed	10 in 2019	
EFFECTIVENESS: Distribute training information to all (100%) Municipal Employees responsible for permitting, plan review, construction site inspections, and enforcement.	100%	100%	
EFFECTIVENESS: Target audience sector of Construction Site Operators had educational information made available to them in the reporting year.	100%	100%	
EFFECTIVENESS: Construction Site Operators had training offered during even calendar years.	100%	Offered to: 100% Attended: 0%	
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation:		

MCM #5 POST-CONSTRUCTION STORMWATER MANAGEMENT

POST-CONSTRUCTION STORMWATER MANAGEMENT DECISION PROCESS AND RATIONALE

The purpose of this MCM is to ensure the quality of water leaving a previously completed construction site remains continuously treated prior to leaving the property. With the implementation of specifically required **Stormwater Treatment Facilities (STF's)** the quality of water will have the best chance of remaining clean prior to entering receiving waters. These STF's will be monitored and maintained based on official Maintenance Agreements signed by the owner and the City.

The City of Lexington requires post-construction stormwater runoff from new development and redevelopment to be treated through different Stormwater Treatment Facilities (STF's). Rain Gardens, Bioswales, Sediment Forebays and Regional Detention Facilities will all be acceptable STF's within the City Limits. These were chosen based on their performance, accessibility, and aesthetics.

The City of Lexington has created an ordinance as it relates to Post-Construction Stormwater. This ordinance refers to a 'Post Construction Stormwater Management Program' and there are penalties of different severity upon non-compliance. These were chosen due to their positioning within the Municipal City Code.

'New Development' refers to any new construction project that has been platted after [REDACTED] 'Redevelopment' refers to any construction on existing property that affects more than one acre of impervious surface area. The sites that are exempt from the Post-Construction Program Requirements are those that were platted prior to [REDACTED].

The City of Lexington Post Construction Stormwater Program provides a submittal checklist that describes the required information on each Site for proper selection and completion of a Post-Construction site plan review when applications for construction are submitted for approval. This checklist will be made available online, at the Public Works Department upon the developer's introduction of the plan to the City. Once the proper specifications have been implemented, then the site plans are up for review on a department by department basis. The Stormwater Manager will observe the Post-Construction specifications and site plan.

The City of Lexington will require a series of inspections of the constructed Stormwater Treatment Facilities to insure proper functionality of the Stormwater Treatment Facilities. These inspections will be performed by a licensed engineer in the State of Nebraska prior to completion of the development project. City Ordinance outlines requirements for these STFs to function appropriately in perpetuity.

The prioritization and procedures for inspection and enforcement for Post Construction STFs are identified in the Post-Construction Stormwater Management Program. Enforcement will be conducted through maintenance agreements, and inspections are allowed by the owner whenever the City wishes to perform them.

The City of Lexington Stormwater Manager is responsible for the implementation of the Construction Stormwater Program. It is the Stormwater Manager who creates and inspects the Stormwater Pollution Prevention Plans (SWPPP) for Municipal projects greater than one acre. The Stormwater Manager communicates directly with the developers and contractors as needed to resolve non-compliance.

The City of Lexington has implemented 'Effectiveness Measures,' found throughout the Post Construction Stormwater MCM, to evaluate the success of the Program. These 'Effectiveness Measures' are tabulated each year and identified within each Annual Report submitted to NDEQ.

These Plans are being developed with help from Felsburg, Holt and Ullevig, in conjunction with other Nebraska MS4s.

MCM 5: BMP 1: POST-CONSTRUCTION STORMWATER CONTROL AUTHORITY

5.1.1 Coordinate maintenance of enforceable authority and escalation procedures in the MS4 Post-Construction Stormwater (PCSW) Program, which references the following local regulatory mechanism(s) that effectively:

- Defines and enables municipal enforcement for permanent stormwater quality treatment facilities.
- Defines and requires permanent stormwater quality treatment facility implementation for new development and redevelopment projects and the effective date of the requirement.
- Defines and establishes a range of penalty options and when they will be used to ensure compliance.

Reference	Frequency
City of Lexington - City Code	Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year

5.1.2 Conduct enforcement procedures for permanent stormwater treatment facility non-compliance and/or non-compliance.

Reference:	Post-Construction Stormwater Treatment Facility (STF) Enforcement Tracking Form,		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:	Measure	
ADMINISTRATION: Record responsible party, date enforcement initiated, reason for non-compliance or violation, status, enforcement steps taken to resolve, and final resolution of each instance of potential non-compliance with post-construction stormwater treatment.	GOAL: Total Number of instances recorded.	{{Number}}	
EFFECTIVENESS: Initiate enforcement response plan investigation within seven days of identification of potential non-compliance	GOAL: 100%	{{%}} of {{Number}}	
EFFECTIVENESS: Open records are updated once a week with current status and any new information until the issue is resolved.	GOAL: 100%	{{%}} of {{Number}}	
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation:		

MCM 5: BMP 2: STORMWATER TREATMENT PLAN REVIEW

5.2.1 Coordinate maintenance of site plan review procedures in the MS4 Post-Construction Stormwater (PCSW) Program, which references and defines the following:

- Local regulatory mechanism(s) that effectively defines and enables authority to conduct stormwater treatment plan reviews.
- Minimum treatment volume with calculation method, volume treatment design criteria, and stormwater treatment practice design standards by reference for design of permanent stormwater treatment practices.
- Maximum allowable impervious cover by land use zone.
- Minimum requirements for post-construction stormwater treatment plan submittals to satisfy structural and non-structural stormwater treatment standards.

Reference	Frequency
Lexington City Code, PCSW Program Sections 2 and 3, Appendices	Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year

5.2.2 Conduct site plan review for stormwater treatment design compliance.

Reference:	Post-Construction Stormwater Treatment Development Review Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:	Measure	
ADMINISTRATION: Complete stormwater treatment design review form for every new development and redevelopment project.	GOAL: Recorded	{{Number}}	
ADMINISTRATION: Record date of STF Certification and as-built record drawings received with all required information including updated STF design tables if field modifications were made.	GOAL: Recorded	{{Number}}	
EFFECTIVENESS: Record when STF design requirements for new development and redevelopment projects were not satisfied and required revision and resubmittal.	GOAL: Recorded	{{Number}}	

Continued on Next Page

EFFECTIVENESS: Complete as-built record drawings are received within one year of municipal approval for project completion.	GOAL: 100%	{{%}} of {{Number}}
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation:	

MCM 5: BMP 3: STORMWATER TREATMENT SITE INSPECTIONS

5.3.1 Establish and review site inspection procedures in the MS4 Post-Construction Stormwater (PCSW) Program, which define and reference the following:

- Local regulatory mechanism(s) that effectively defines and enables authority to conduct site inspections.
- Minimum standards by reference for installation and maintenance of stormwater treatment practices.
- Minimum required timing and information for construction operator self-inspections prior to receiving municipal approval constructed STFs.
- Minimum required timing and information for property owner self-inspections following municipal approval of constructed STFs.
- Current policies, staff, contact information, frequency and required procedures for municipal inspections prior to approving STFs constructed for the project.
- Minimum required timing and information for municipal inspections following municipal approval of constructed STFs.

Reference	Frequency
Lexington City Code, PCSW Program	Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year

5.3.2 Conduct site inspections for new development and redevelopment projects to document post-construction stormwater treatment facility (STF) installation and maintenance compliance

Reference:	Post Construction Stormwater Treatment Facility Inspection Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:	Measure	
ADMINISTRATION: Record last date of inspection by <u>Owner</u> for STFs submitted or requested for review.	GOAL: 100%	{{Yes/No}}	
ADMINISTRATION: Record last date of inspection by <u>Municipality</u> for STFs.	GOAL: 100%	{{Yes/No}}	
EFFECTIVENESS: Record modifications made from design plans, engineer name providing certification, and anticipated date as-built record drawings will be submitted to the City.	GOAL: 100%	{{%}} of {{Number}}	
EFFECTIVENESS: Always record current condition, maintenance planned, and next anticipated applicant inspection date.	GOAL: 100%	{{%}} of {{Number}}	
EFFECTIVENESS: Self inspections are submitted by Owner of project within 90-days following municipal approval of completed project.	GOAL: 100%	{{%}} of {{Number}}	
EFFECTIVENESS: Self inspections are submitted by Owner of project no longer than three years following the previous self-inspection.	GOAL: 100%	{{%}} of {{Number}}	
EFFECTIVENESS: Always record final constructed condition at time of inspection, observations and on-going municipal inspection frequency before municipal approval is given.	GOAL: 100%	{{%}} of {{Number}}	
EFFECTIVENESS: Always (100%) record current condition, maintenance planned, and next anticipated applicant inspection date	GOAL: 100%	{{%}} of {{Number}}	

Continued on Next Page

EFFECTIVENESS: Inspections are completed by the City for each completed project within 90-days following municipal approval of completed project	GOAL: 100%	{{%}} of {{Number}}
EFFECTIVENESS: Inspections are conducted by the City within fourteen days following an information request submitted by the public	GOAL: 100%	{{%}} of {{Number}}

and/or failure of the Owner to submit a routine self-inspection.		
EFFECTIVENESS: All information provided from the public about stormwater management of an approved STF leads to an inspection or a documented reason why an inspection was not conducted.	GOAL: 100%	{{%}} of {{Number}}
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation: Lexington is still developing this record keeping. City staff does all of the maintenance on these facilities.	

MCM #6 GOOD HOUSEKEEPING AND POLLUTION PREVENTION

GOOD HOUSEKEEPING AND POLLUTION PREVENTION DECISION PROCESS AND RATIONALE

The purpose of this MCM is to minimize the effect of the municipality's efforts to the contribution of stormwater pollutants into receiving waters. Operations have been identified that have the greatest likelihood to cause pollution to stormwater runoff. The facilitators of these operations are educated and trained in Standard Operating Procedures for reducing pollutants from entering the storm sewer system.

The City of Lexington is responsible for the stormwater pollution that its municipal operations and maintenance activities create. Pollution Prevention activities and procedures such as training, standard operating procedures, and record-keeping help minimize the affect our actions take on the environment. The Operations Water Quality Guide identifies these implemented processes and can be found at the City of Lexington Public Works Department.

The City of Lexington has different departments that create stormwater pollution. Several formats of training have been given to the members of these departments. Presentations and training videos are given to the employees regarding Stormwater Pollution Prevention. The Operations Water Quality Guide has a description of all training provided to City staff.

The City of Lexington performs many procedures to document our efforts against stormwater pollution from maintenance activities. There are proper standard operating procedures for street sweeping activities for city employees to follow. These policies and procedures are documented in the Operations Water Quality Guide, which can be found at the City of Lexington Public Works Department.

The City of Lexington Stormwater Manager is responsible for the overall management and implementation of the Good Housekeeping and Pollution Prevention Program. It is the responsibility of each Department/Division involved to implement their activities and report to the Stormwater Manager upon enquiry.

The City of Lexington has created and installed 'Effective Measures' throughout the Good Housekeeping and Pollution Prevention MCM. These effectiveness measures are identified for all BMP's and reported as a measurable goal through the process of our Annual Report submitted to NDEQ.

MCM 6: BMP 1: MUNICIPAL FACILITY MAINTENANCE ACTIVITIES

6.1.1 Coordinate reviews and updates of municipal facility evaluation and maintenance policy information in the MS4 Operations Environmental Program Guide, defines and describes the following:

- A listing and maps of all MS4 facilities, including storage yards, which are subject to maintenance activity best management practice policies.
- Lists of industrial facilities owned or operated by the City subject to NPDES Industrial Storm Water Discharge Permit with Notice of Intent or certificate of No Exposure for each facility attached.
- High Priority risk assessment policies for municipal maintenance facilities.
- Content and purpose of a Facility Runoff Control Plan developed for high priority municipal maintenance facilities.
- Describes building and grounds, vehicles and equipment (including maintenance, fueling and washing), product materials (including de-icing materials), bulk fluid storage and waste materials (including dredge spoil, accumulated sediments, floatables, debris, salvage products for reuse, and recyclables) best management practice policies for municipal maintenance facilities.
- Current policies, frequency, staff, contact information and required procedures for municipal facility site inspections, and time period for resolving identified maintenance.

Reference		Frequency
Operations Environmental Guide, Section		Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year	

6.1.2 Conduct municipal facility maintenance evaluations and record results of maintenance facility activities.

Reference:	Municipal Facility Inspections Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:	Measure	
ADMINISTRATION: Record the total number of facility inspections conducted during reporting period.	GOAL: Recorded.	Yes	
ADMINISTRATION: Record at least one MS4 Oversight inspection per year at each municipal facility with an NPDES Industrial Stormwater Permit authorization (not routine or benchmark monitoring required of the NPDES Industrial Stormwater permit holder).	GOAL: 100%	No	

Continued on Next Page

ADMINISTRATION: Record at least one MS4 Facility Evaluation per five years at each municipal facility with an NPDES Industrial Stormwater Permit No Exposure Certification.	GOAL: 100%	0
ADMINISTRATION: Record if corrective actions haven been identified, documented and addressed for every maintenance facility during the reporting period.	GOAL: 100%	0
ADMINISTRATION: Maintain current status of each corrective maintenance identified but not resolved within the recommended 30-day period of time.	GOAL: Record status.	No
EFFECTIVENESS: Record the dates and inspectors for two (2) inspections per year at each high priority maintenance facility.	GOAL: 100%	0
EFFECTIVENESS: Record the dates and inspectors for one (1) inspection per year at each low priority maintenance facility.	GOAL: 100%	0
EFFECTIVENESS: Record during oversight facility inspection of each municipal facility with an NPDES Industrial Stormwater Permit authorization whether facility is actively managing all Industrial Stormwater Permit requirements and or No Exposure Certification conditions including; training, routine inspections, benchmark monitoring, physical characteristics evaluations, SWPPP information, SWPPP updates, and required reporting criteria.	GOAL: 100%	0
EFFECTIVENESS: Interim corrective maintenance is implemented when final corrective actions cannot be completed within 30-days of being identified during an inspection or complaint.	GOAL: 100%	0

Continued on Next Page

EFFECTIVENESS: Summarize the reason(s) corrective maintenance was not resolved within 30-days for each corrective maintenance record and what communication, education and/or enforcement was used to get the corrective maintenance resolved as soon as possible.	GOAL: 100%.	0
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation:	

MCM 6: BMP 2: MUNICIPAL ROADWAY/PARKING LOT MAINTENANCE ACTIVITIES

6.2.1 Coordinate updates and maintenance of municipal roadway/parking lot maintenance policy information in the Operations Water Quality Guide, which describes the following:

- Type of roadways (streets, roads, and highways) and which parking lots are impacted by maintenance activity best management practice policies that control floatables and other pollutants to the MS4.
- Current policies, frequencies and/or schedule, staff, equipment, contact information and required procedures for street and parking lot sweeping activities, and equipment calibration.
- Procedures for transportation and disposal of floatables and other pollutants collected as a result of roadway and parking lot maintenance activities.

Reference	Frequency
Operations Environmental Guide, Section ((reference))	Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year

6.2.2 Conduct and report municipal roadway and parking lot maintenance w

Reference:	Municipal Sweeping Operations Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:		Measure
ADMINISTRATION: Report hours of equipment usage and number of lane miles of streets swept.	GOAL: Recorded		Hours: {{Number}} Miles: {{Number}}

Continued on Next Page

ADMINISTRATION: Report number and dates of parking lots swept.	GOAL: Reported.	{{Number}}
EFFECTIVENESS: Verify that all public streets listed on the street maintenance plan were swept at least two times during the year.	GOAL: 100%	{{%}} of {{Number}}
EFFECTIVENESS: All parking lots on the parking lot maintenance plan were swept at least once during the year.	GOAL: 100%	{{%}} of {{Number}}
EFFECTIVENESS: Report number of instances that non-routine sweeping was requested and the number of sweeping events provided to address a public complaint or internal identification that non-routine street sweeping was needed.	GOAL: 100%	{{%}} of {{Number}}
..... Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation: See Appendix	

MCM 6: BMP 3: MUNICIPAL STORM DRAIN SYSTEM MAINTENANCE ACTIVITIES

6.3.1 Coordinate updates and maintenance of municipal storm drain system maintenance policy information in the MS4 Operations Water Quality Guide, which defines and describes the following:

- Procedures for inspecting and cleaning municipally-owned inlets, open channels and other drainage structures for debris.
- Procedure to dispose of materials extracted from inlets so that no stormwater drainage system waste material will re-enter the MS4.
- Procedures to document drainage structure maintenance activity.
- Procedures for inspecting and sweeping municipally-owned streets.
- Procedures to assess existing flood management locations for potential incorporation of water quality protection devices or practices.
- Procedure to dispose of materials swept so that waste material will not re-enter the MS4.
- Procedures to require any contractors hired by the Municipality to perform maintenance activities.

Reference	Frequency
Operations Environmental Guide ((section Reference))	Review: Annually
Report:	Observations, recommendations, and/or changes made to program defining documents during permit year

6.3.2 Conduct municipal storm drain system maintenance.

Reference:	Municipal Stormwater Operations Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	On-going Annually
Goals:	Report:		Measure
MUNICIPAL STORM DRAIN INLET MAINTENANCE			
ADMINISTRATION: Report hours of equipment usage and number of storm drains cleaned.	GOAL: Recorded		Hours: {{Number}} Miles: {{Number}}
EFFECTIVENESS: All storm drain inlets listed on the storm drain system maintenance plan were cleaned once every five (5) years.	GOAL: 100%		{{%}} of {{Number}}
EFFECTIVENESS: Report number of instances that non-routine storm drain inlet cleaning was requested and the number of storm drain cleaning events provided to address a public information request or internal identification that non-routine storm drain inlet cleaning was needed.	GOAL: 100%		{{%}} of {{Number}}
MUNICIPAL STORM DRAIN PIPE MAINTENANCE			
ADMINISTRATION: Report hours of equipment usage and lineal feet of drainage system cleaned.	GOAL: Recorded		Hours: {{Number}} Feet: {{Number}}
EFFECTIVENESS: All of storm drain pipes listed on the storm drain system maintenance plan were cleaned once every ten (10) years.	GOAL: 100%		{{%}} of {{Number}}
EFFECTIVENESS: Report number of instances that non-routine storm drain pipe cleaning was requested and the number of storm drain pipe cleaning events provided to address a public complaint or internal identification that non-routine storm drain pipe cleaning was needed.	GOAL: 100%		{{%}} of {{Number}}

Continued on Next Page

MUNICIPAL STORMWATER DETENTION/RETENTION AREA MAINTENANCE		
ADMINISTRATION: Report hours of equipment usage and detention/retention areas cleaned and maintained.	GOAL: Recorded	Hours: {{Number}} Facilities: {{Number}}
EFFECTIVENESS: Verify that all detention/retention areas listed on the storm drain system maintenance plan were cleaned once every ten (10) years.	GOAL: 100%	{{%}} of {{Number}}
EFFECTIVENESS: Report number of instances that non-routine detention/retention area cleaning was requested and the number of detention/retention cleaning events provided to address a public complaint or internal identification that non-routine detention/retention cleaning was needed.	GOAL: 100%	{{%}} of {{Number}}
Satisfied: Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation: See appendix		

MCM 6: BMP 4: MUNICIPAL OPERATION AND MAINTENANCE PROGRAM TRAINING

6.4.1 Coordinate updates and maintenance of training materials for distribution related to reducing stormwater pollution from municipal operation and maintenance activities in the Public Education and Outreach Strategy, which defines the following:

- Target messages and distribution methods for pollution prevention or reduction training related to municipal operation and maintenance activities.
- At least one target message for Public Employees involved in Parks and Recreation Operation and Maintenance Activities every reporting year.
- At least one target message for Public Employees involved in Transportation and Utilities Operation and Maintenance Activities every reporting year.
- At least one target message for Public Employees involved in Storm Sewer Operation and Maintenance Activities every reporting year.

Reference:				Frequency:	
The City of Lexington PEO Strategy				Annually	
Description	Target Audience	Messages	Methods/Resources	Last Provided	Next Due
Standard Procedures	City Staff involved with O&M	Prevent pollution from municipal operations throughout the City.	City of Lexington—Operations Water Quality Guide	2019	2020
Maintenance Facility Runoff Control Plans	City Staff involved with O&M	Prevent pollution from municipal operations at municipal maintenance facilities.	Three Facility Runoff Control Plans (Street, Water, and Electrical Departments)	2019	2020

Supplemental Guides	City Staff involved with O&M	Prevent pollution from municipal operations at municipal maintenance facilities.	City of Lexington– Municipal Good Housekeeping Poster (located at each FRCP facility)	2019	2021
Municipal Good Housekeeping Training	City Staff involved with O&M	Prevent pollution from municipal operations throughout the City.	Live Training or Video	2019	2020
Report:	Observations, recommendations, and/or changes made to Municipal Operations and maintenance program training support materials during permit year				

6.4.2 Deliver training related to pollution prevention and reduction from municipal operation and maintenance activities conducted by Municipal Employees.

Reference:	Education and Outreach Strategy Tracking Form		
Responsible:	Stormwater Coordinator	Frequency:	Ongoing Annually
Goals:	Evaluation and Assessment:		Performance:
ADMINISTRATION: Deliver training to all Municipal Employee sectors identified to receive information for the reporting year.	100%		Yes
EFFECTIVENESS: Management staff for Parks and Open Space, Fleet and Building, Permanent Stormwater Treatment, and Storm Sewer Maintenance and Operation received training every even numbered calendar year.	75%		100%
EFFECTIVENESS: Non-management, non-seasonal staff for Parks and Open Space, Fleet and Building, Permanent Stormwater Treatment, and Storm Sewer Maintenance and received training every odd numbered calendar year.	75%		100%
EFFECTIVENESS: Seasonal staff for Parks and Open Space, Fleet and Building, Permanent Stormwater Treatment, and Storm Sewer Maintenance and received training every calendar year.	75%		0
Satisfied:	Yes <input type="checkbox"/> No <input type="checkbox"/> Explanation:		

MS4 PROGRAM SUPPORTING DOCUMENTS

City Happenings



April 2019



Lexington Ambulance Now Has Backup Service



by Doug Glaze, LFVD Rescue Chief

The **Lexington Volunteer Fire Department (LVFD)** has proudly served the emergency medical needs of Lexington and the Lexington Rural Fire District for more than 125 years with volunteer staffing. LVFD takes great pride in this service and our continued goal is to provide the best quality emergency medical services possible. As Lexington continues to grow and add population, the need for emergency services increases as well.

Over the past several years we have experienced a steady increase in calls for medical service, resulting in an increased commitment for our volunteers, their families and their employers. In the interests of maintaining quality and timely services, as well as maintaining our volunteer base, we have launched a pilot program to assist our volunteers in providing medical services.

Beginning March 1, 2019, **Priority Medical Transport** began assisting LVFD in answering

911 medical service calls as their professional staff is available. Priority Medical has been actively providing inter-facility medical transport services in our area for several years, and are stationed out of Lexington Regional Health Center. This means that when you call 911 for medical assistance you may see the LVFD respond or you may see Priority Medical respond, and in some cases both entities will respond. Our intent with this agreement is to provide the public with the best and most timely emergency care available, while easing the increasing demands on our volunteer staff. Rates for service will be equal regardless of which entity provides service. All calls for emergency fire services will continue to be the responsibility of the LVFD.

LVFD exists to serve our community in times of emergency. LVFD will continue to provide the community with emergency services well into the future. Thank you for your continued support. If you have questions or concerns, please contact Doug Glaze at (308)746-6253.



U.S. Department of Housing and Urban Development

Fair Housing Month
FAIR HOUSING
IS YOUR RIGHT: USE IT!




EQUAL HOUSING OPPORTUNITY




Like us on Facebook!

Get the latest scoops about what's going on in Lexington!

FaceBook users: be sure to search for "City of Lexington, Nebraska" (not to be confused with the generic page the FaceBook folks created). Only our official page gives you the latest news and updates.

<https://www.facebook.com/pages/City-of-Lexington-Nebraska/157277430966096>

Remember, it's not just toxic to you



Find out more at www.cityoflex.com

Remember, it's not just toxic to you

Carefully store and dispose of household cleaners, chemicals and oil

Did you know that many household products are dangerous to our kids, pets, and the environment? These materials pollute our waterways if washed or dumped into storm drains or roadside ditches that lead directly to our lakes and rivers. Household cleaners, pesticides, gasoline, antifreeze, used motor oil, and other hazardous products need to be labeled, stored, and disposed of properly.

What can you do? Simple:

- Be aware of household products that can harm children, pets and the environment. Pay attention to words such as "warning" or "caution" on product labels.
- Reduce waste & save money by purchasing only materials you need.
- Keep unused products in their original containers with labels.
- Never dump hazardous products down storm drains, roadside ditches, sinks, or on the ground - take them to your local community's hazardous waste collection day.

Help keep our homes and the environment safe!



Support provided by NDEQ



www.cityoflex.com



SANDHILLS EXPRESS | KCNI | KBBN
SandhillsExpress.com

Household Hazardous Waste Collection Available This Weekend

BY Gavin Higgins | September 9, 2019

[Home](#) > [News](#)



The Lexington Area Solid Waste Agency, the Nebraska Department of Environmental Quality's Waste Reduction and Recycling Incentive Grants Program, and dedicated local volunteers have brought the free service of household hazardous waste collection to area facilities.

Items accepted include yard and garden chemicals; pesticides, herbicides, flammables; paints and thinners, auto products, used oil, antifreeze, household products and cleaning chemicals, Mercury, and batteries; auto, lead acid and/or

rechargeable, titanium, cadmium and nickel halide and florescent light bulbs.

NO infectious waste and needles, radioactive waste, asbestos, oil or paint containing PCB's, high school labs, appliances, construction waste and tires. NO COMPUTERS UNLESS DESIGNATED.

Materials should be delivered to collection sites in sturdy, disposable containers labeled according to contents and no larger than 5 gallon or 50 lbs. The HHW program reserves the right to reject any materials.

If you have any questions on materials accepted contact LASWA at (308) 324-3351 or Bill Elliott, Southwest Nebraska HHW Program Manager at (308) 345-4333.

Friday, September 13

Ainsworth- KBR Transfer Station; 3-4:30 PM **NO COMPUTERS**

Saturday, September 14

Broken Bow- Custer Transfer Station; 8-9:30 AM **COMPUTERS WILL BE ACCEPTED**

Gothenburg- City Maintenance Facility; 12:30-2 PM **NO COMPUTERS**

BE PART OF THE SOLUTION TO STORMWATER POLLUTION

WHAT IS THE PROBLEM?

Each time it rains, water washes over our streets, driveways, and yards picking up pollutants along the way and flowing into our storm drains. This runoff may contain pollutants such as motor oil, yard clippings, pet waste, litter, lawn chemicals, anti-freeze, or other toxins, which can pollute our water supply as well as clog pipes and culverts which can lead to flooding. Known as "Non-Point Source Pollution", it is the largest threat to our waterways today. Sometimes pollutants are dumped directly into storm drains by neighbors who don't know any better. Contrary to popular belief, most storm drains are not connected to treatment systems. Whatever enters the drain is discharged directly, untreated into local waterways!



HOW CAN YOU HELP?

The storm drain inlets on your street are being marked with a colorful marker, like the one on the front of this door hanger, with a pollution prevention message. You can help by using the following tips to prevent pollution:

- * Properly dispose of hazardous waste and recycle used motor oil.
- * Use fertilizers, pesticides, and herbicides sparingly and follow the manufacturer's instructions.
- * Keep yard waste, trash, and dirt off the street and out of the gutters.
- * Clean up after your pets.
- * Wash your car at a car wash facility or park your car in the grass before you wash it.
- * Spread the word about protecting our waterways from polluted runoff.

Thank you for your cooperation!



About us

Our mission. Our efforts. Our quest.


It's a pretty common belief that the water in our storm drains is filtered or treated before it makes its way into our rivers and lakes.

The truth is, it's not.

When we dump harsh chemicals on our lawns and dispose of toxic substances via storm drains, harmful pollutants enter our waterways, killing fish, destroying wildlife habitats, decreasing aesthetic value and contaminating the water we boat in, swim in – and drink. It's a risk to our environment. . . and a risk to our health.

Using grant funding provided by the State of Nebraska and administered by the Nebraska Department of Environmental Quality, the Nebraska Stormwater Cooperative is working to raise awareness and offer alternatives to storm drain dumping through our Nebraska H₂O program. Almost half of U.S. waterbodies fail to meet water quality standards. It's our goal to change this – to protect our waters and improve the health of our citizens and wildlife.

(The Nebraska Stormwater Cooperative consists of Grand Island, Beatrice, Columbus, Fremont, Hastings, Kearney, Lexington, Norfolk, North Platte and Scottsbluff.)



What you can do to help

Easy tips for keeping our waters clean.

Litter disposal

Dispose of litter by throwing it in a trashcan or recycling it. In addition, do your part by disposing of litter you find in the street or on the sidewalk.

Washing your car

You can either take your car to a self-service car wash, which is designed with special drains for proper disposal, or wash your car on your lawn. The dirt below will act as a filter for the soap.

Pet waste

It's best to dispose of pet waste in the trash or, better yet, flush it down the toilet. This water will be properly treated.

Household chemicals

Cleaning products and other household chemicals should never be dumped outside, down the sink – or down a storm drain. Visit www.NebraskaH2O.org and click on our Tips section to find out the location of a facility that will dispose of them properly.

Fertilizer and pesticides

You'll need to take leftover substances to a designated waste control area. Visit www.NebraskaH2O.org to find out the location nearest you.

More ways to help – for kids and adults!

For more information on ways you can help the effort – and for our special kids-only info – visit Nebraska H₂O online at www.NebraskaH2O.org.





*Our Water...
Our Responsibility.*

Created by the
Nebraska Stormwater
Cooperative to educate
the public on the
importance of keeping
Nebraska waterways
pollutant-free.

Contact us

For more information on the Nebraska Stormwater Cooperative's mission to keep harmful pollutants from entering our waters – and to find out more ways you can help – please email us at info@nebraskah2o.org or visit www.NebraskaH2O.org.




City of Lexington
Building Department
Stormwater Awareness
406 E. 7th Street
P.O. Box 70
Lexington NE 68850
Phone: 308-324-2341
Fax: 308-324-4590
E-mail: nhoendervoogt@cityoflex.com

A mission we can all be a part of.

According to a recent government survey, 40 percent of U.S. waterbodies were still impaired by pollution, failing to meet government standards. It's a problem we contribute to – most of the time unknowingly – when we let harmful pollutants run into our storm drains and enter our waterways.

The Nebraska H₂O program has been established in order to change the statistics and protect our waterways before any more damage is done. But we need your help.




Bill Brecks

From: Amy Peplitsch <amy.peplitsch@lexschools.org>
Sent: Monday, March 30, 2020 9:15 PM
To: Bill Brecks
Subject: Re: Tickets Sold

Box office admits for 2019 were 15,802. We had a few closings due to snow this winter but that number is still pretty comparable to what Erin reported last year. Easy report to run, let me know if you need anything else.

Thanks,
Amy



W 12TH ST
W 11TH ST
W 10TH ST
W 9TH ST
W 8TH ST
W 7TH ST
W 6TH ST
W 5TH ST
N MADISON ST
N HARRISON ST
N TAYLOR ST
N ONTARIO ST
N ADAMS ST
N LAKE ST
N ERIE ST
N PARK ST
N JOHNSON ST
N ANTARIO ST
N LAKE ST
N PACIFIC AVE

530'
440'

WADE
GILLAN
BUFFALO BEND
FREEMAN ST

● 2019 Storm Drains Marked

IDDE

a grate concern

Acknowledgment of Training

(This top section should be filled in by the trainer)

Signature(s) below are acknowledgment that on (date) 11/1/19,
these individuals participated in a training session at the:

Location Name: Lexington Police Department

Address: _____

Given by: (trainer's name) Bill Brack

(title) _____

This training session presented information on illicit discharge detection and elimination.
During this session, the individuals listed below viewed the training video:

IDDE: a grate concern

The participants' signatures below affirm they were given adequate time to ask questions about
their particular job activities and how they could best conduct these activities.

Please read the above paragraph before signing below.

PRINT NAME HERE

SIGNATURE HERE

CAPT. PAUL SCHWARZ
Erik Rowan

Capt. Paul M. E. Schwarz

Luke Pinkelman

L. Pink

Matt Roberts

M. Roberts

Judy Dukes

Judy Dukes

Jackeline Zaccaria

Jackeline Zaccaria

Kareem McDougall

Kareem McDougall #187

Joel W. Kinney

Joel W. Kinney #171

MOUSE GRAYSON

Mouse Grayson

Joseph Rendler

J. Rendler

J. Rendler
Jain Mediamid

J. Rendler
J. Rendler

IDDE

a grate concern

Acknowledgment of Training

(This top section should be filled in by the trainer)

Signature(s) below are acknowledgment that on (date) 11/1/19,
these individuals participated in a training session at the:

Location Name: Civil Service Building

Address: _____

Given by: (trainer's name) Phil Brooks

(title) _____

This training session presented information on illicit discharge detection and elimination.
During this session, the individuals listed below viewed the training video:

IDDE: a grate concern

The participants' signatures below affirm they were given adequate time to ask questions about
their particular job activities and how they could best conduct these activities.

Please read the above paragraph before signing below.

PRINT NAME HERE

SIGNATURE HERE


Robert Thompson
Luis H Landa
Gerardo Perez
Armando Baines
Armando Chavez
Juan Jimenez
Tom Nelson
Jacob Vetter
Robbie Nichols
Jesse Rios
Orangel Baines
Leon J. Richardson
RAY BOWSACK

Robert Thompson
Luis H Landa
Gerardo Perez
Armando Baines
Armando Chavez
Juan Jimenez
Tom Nelson
Jacob Vetter
Robbie Nichols
Anthony Chali
Orangel Baines
Ray Bowsack

IDDE

a grate concern

Illicit Discharge Detection & Elimination




pocket reference

GROUND CONTROL

Stormwater
Pollution Prevention
for CONSTRUCTION SITES

DVD	ENGLISH
v 1.1	time 14:30
21106-1.1-120506	

EXCALVISUAL
©2006



GROUND CONTROL

Stormwater
Pollution Prevention
for CONSTRUCTION SITES

TRAINER'S GUIDE